THE POWER TO CREATE BETTER LIGHT ™

LED EMERGENCY DRIVER

Description:
Our VEM-K Series can be used on a large array of Lighting Fixtures for both T5 and T8 installations.

The VEM-K1500, LED emergency back-up kit includes constant wattage emergency driver, battery, high efficacy LED module and LED charging indicator light. The emergency back-up kit provides emergency lighting solution in different lighting fixture/luminaire with input power source of 120-277VAC.


VEM-K1500 switches to emergency mode when power fails, the kit gives constant 1500lm with 5000K LED module for a minimum of 90 minutes.

Electrical:
- Multi voltage (120-277VAC 50/60Hz)
- Maintenance-free, long-life, high temperature LiFePO4 battery
- Safety extra low output voltage: 12-50VDC
- Rated 10W for 90 minutes

Installation:
- For use with unswitched fixtures
- Does not affect existing lighting fixture/luminaire
- Suitable for damp and dry location
- Ambient temperature: 0°C/30°F - 60°C/140°F

Warranty:
- 5 Years
- UL, cUL, UL924 listed FCC Part 15 Class A, Compliance to EN 61547/1995+A1/2000

Case Dimensions:





Model: VEM-K1500
Our VEM-K Series can be used on a large array of Lighting Fixtures for both T5 and T8 installations.

The VEM-K1500, LED emergency back-up kit includes constant wattage emergency driver, battery, high efficacy LED module and LED charging indicator light. The emergency back-up kit provides emergency lighting solution in different lighting fixture/luminaire with input power source of 120-277VAC.

VEM-K1500 switches to emergency mode when power fails, the kit gives constant 1500lm with 5000K LED module for a minimum of 90 minutes.

Technical Specifications

Input Voltage
120-277 VAC, 50/60Hz

Lamp Operated
VLM01207L/850 (10W, 34VDC, 5000K, CRI 80, 1500lm)

Emergency Operation
90 Mins in 10W

Operating Temperature
0C/30F - 60C/140F

Battery
24hr recharge, LiFePO4

Approval
UL and cUL 924 Listed

User Manual VEM_K1500.pdf

Copyright © 2008-2024. All Rights Reserved
12257 Florence Ave. | Santa Fe Springs. CA 90670
Toll Free: (866) 933-7736 | Tel.: (562) 529-2938 | Fax: (562) 529-2978
Email: info@espentech.com | www.espentech.com